




SEALANTS

FOR SHEET METAL ROOFS






ABRA products are developed in Sweden to withstand tough conditions anywhere in the world where professional sheet metal work is to be performed.





M 82

M82 is a butyl rubber-based sealant for all types of metal roofs, regardless of slope. The sealant remains tacky in the seam for a durable seal. Its blue colour makes it easy to see when applied.



Properties:

- Seam sealant for all types of metal roofs
- A 0.3 L cartridge seals approx. 25 running metres
- Application temperature -20°C to +70°C
- Boiling point 150°C - 200°C
- Flash point 290°C
- Frost resistant
- UV resistant
- Blue colour
- Removeable
- Shelf life 5 years


400050	M82	Blue	12 x 0,3 L
400051	M82	Transparent	12 x 0,3 L
400055	M82 Sausage	Blue	12 x 0,6 L





Runotex Tix Transparent

Runotex Tix Transparent is a clear rubber-based sealant for all types of metal roofs, regardless of slope. The sealant remains tacky in the seam for a durable seal. The product is also well suited as an all-around sealant, for instance for rain gutters and window frames.



Properties:

- Seam sealant for all types of metal roofs
- A 0.3 L cartridge seals approx. 25 running metres
- Application temperature -20°C to +70°C
- Boiling point 150°C - 200°C
- Flash point 290°C
- Frost resistant
- UV resistant
- Removeable
- Shelf life 5 years


400100	Runotex Tix Transparent	Cartridge	12 x 0,3 L
400101	Runotex Tix Transparent	Sausage	12 x 0,6 L
400102	Runotex Tix Transparent	Tube	12 x 100 ml





Steel Profile Sealer

Steel Profile Sealer (SPS) is a butyl rubber-based sealant, used primarily to trapezoidal profiled sheeting. SPS is particularly suitable for sealing sheeting on roofs with low slopes.



Properties:

- Excellent adhesion to all metal sheeting
- Application temperature -20°C to +70°C
- Light grey colour
- Quick application
- Frost resistant
- UV resistant
- Shelf life 5 years

400060	Steel Profile Sealer	Grey	12 x 0,3 L
400065	Steel Profile Sealer Sausage	Grey	12 x 0,6 L



Lap Sealing Oil 80



Lap Sealing Oil 80 is based on non-drying oils, and is used as a seam sealant for all types of metal roofs. The lap sealing oil swells on contact with water, which happens in the overlap. The product must therefore not be diluted. Lap sealing oil is excellent for sheet metal roofing and chimney laps.

Properties:

- 1 litre seals 100 running metres
- Solvent-free
- Low-odour
- Application temperature -10°C to +70°C
- Brush-on or dip
- Shelf life 10 years

40000	Lap Sealing Oil 80	5 L can
40001	Lap Sealing Oil 80	12 x 1,0 L

Recommended caulking guns & accessories

Caulking gun plastic “Non-drip”



Caulking gun for standard cartridges. Automatic “Non-drip” function and with reinforced steel rod. Seam applicator M300 (400710) fits this caulking gun.

400703 Caulking gun plastic green “Non-drip”

Sold individually

Battery powered caulking gun

Caulking gun with adjustable feeding speed and automatic back function. Comes with two batteries and a charger. Seam applicator M600 fits battery powered caulking gun for sausages (400735).



400730 Battery powered caulking gun for cartridges

Sold individually

400735 Battery powered caulking gun for sausages

Sold individually

Caulking gun 600



Caulking gun for 600 ml sausages and standard cartridges. Nozzle for sausages (400721) included.

- High gearing ratio for high-viscosity sealants (250 kg)
- Non-drip function
- Soft grip
- Stainless steel rod

400716 Caulking gun 600

Sold individually

Battery powered caulking gun



incl. seam applicator M300 & M600

Battery powered caulking gun for 600 ml sausages and standard cartridges. Complete with storage box, seam applicator M300, M600, 10.8 V battery and quick charger.


- A battery will last for 20–40 cartridges
- Charging time 25 min (80 %)
- Easy to adjust the speed during operation
- Speed up to 10 mm/sec.
- High gearing ratio (250 kg)

400724 Battery powered caulking gun

Sold individually

400728 Battery for caulking gun

Sold individually



For an instructional video, visit www.youtube.com and search for Sunchem AB

Seam applicator M300



It allows the sealant to be applied directly to the lower seam. Eliminating the need to turn the sheet over prior to sealing. Thus reducing the risk of mounting induced scratches. In addition, the applicator makes it easy to control the sealant.

Fits caulking gun green "Non-drip" (400703)

400710

Seam applicator M300 for cartridge

Sold individually

Seam applicator M600



Intended for M82/Tix in 600 ml sausages. Fits caulking guns 400716 and 400735. Functions otherwise like M300.

400712

Seam applicator M600 for sausages

Sold individually

Nozzle



Sausage nozzle 400721



Applicator nozzle 400722
Fits applicator M600

400721	Nozzle 163	Yellow, L 140 mm	Sold individually
400722	Nozzle 063	Yellow, L 120 mm	Sold individually

Seam brush for 1 L Lap Sealing Oil bottle



Special brush that fits onto the lap sealing oil bottle. It provides a smooth application of the oil in the seam.

200285	Seam brush	Sold individually
200287	XL Seam brush	Sold individually



Sunchem AB

Box 69, S-433 21 Partille.
Telephone +46 31 447310.
info@sunco.se